

GENERAL SURGERY

Dear Surgeon,

February 2021

Re: 2021 BC Diagnosis (BC Dx) Code Updates and new forms

The Surgical Patient Registry (SPR), in consultation with provincial clinical subject matter experts, has updated several Adult BC Dx codes. These updates will be implemented **April 1, 2021**.

What do you need to do?

1. Please discard previous BC Diagnosis (Dx) code forms and replace with the current version: **v2021-P2**.
2. Ensure you use both **Adult** and **Pediatric** BC Dx code forms for your specialty:
ADULT patients = 17 years or older, at date of decision
PEDIATRIC patients = 17 years, less a day, or younger, at date of decision

*It is vital to waitlist management to use the correct code set **based on your patient's age at date of decision (the date at which the patient is ready, willing and able to proceed with surgery)**.

What was updated?

The version on this adult and pediatric specialty forms have been updated to: **v2021-P2**. Pediatric codes did **not** change. The following updates for **GI ENDOSCOPY** and **GENERAL surgery** Adult code set include only:

BC Diagnosis Code v2021-P1	BC Dx code previous version	Description v2021-P1	Changes from previous code version	BC Priority Level	Wait Time Target (Weeks)
GENERAL SURGERY					
300AAA		Liver Transplant – Living Donor	This is a new BC Dx Code	1	2
30NFCE	30NFCA	Gastric Malignancy	Carcinoma of the Stomach, priority level changed from 2 to 1.	1`	2
GI ENDOSCOPY					
Endoscopy – Positive FIT					
30NMDD		Positive FIT (fecal immunochemical test) – outside BCCA screening program	'fecal occult blood test' changed to 'fecal immunochemical test'	3B	8
30NMDE		Positive FIT (fecal immunochemical test) – BCCA screening program	'fecal occult blood test' changed to 'fecal immunochemical test'	3B	8
Endoscopy - Surveillance					
300ZDG		Short interval surveillance where reassessment required under 1 year: follow-up for previous endoscopic resection of large/complex polyp, repeat due to inadequate bowel prep resulting in incomplete procedure – outside BCCA screening program	added indications: follow-up for previous endoscopic resection of large/complex polyp, repeat due to inadequate bowel prep resulting in incomplete procedure	3B	8
300ZDI		Short interval surveillance where reassessment required under 1 year: follow-up for previous endoscopic resection of large/complex polyp, repeat due to inadequate bowel prep	added indications: follow-up for previous endoscopic resection of large/complex polyp, repeat due to inadequate bowel prep resulting in incomplete procedure	3B	8

		resulting in incomplete procedure – BCCA screening program			
Endoscopy – Symptoms and Findings					
30NADA		Chronic gastroesophageal reflux disease; asymptomatic pancreatic/biliary stricture with normal liver chemistry, not suspicious for malignancy; pancreatic cyst, not suspicious for malignancy; chronic unexplained abdominal pain; stable dyspepsia	added indications: a symptomatic pancreatic/biliary stricture with normal liver chemistry, not suspicious for malignancy; pancreatic cyst, not suspicious for malignancy; chronic unexplained abdominal pain; stable dyspepsia	5	26
30NFAC		CODE REMOVED	diagnostic code removed & stable dysphagia moved to P3B code 30OZDD, dyspepsia moved to P5 code 30NADA	4	12
30OZDA		High likelihood of cancer; severe dysphagia/odynophagia; active IBD; obstructive acute jaundice; resection of neoplasm; variceal ligation; EUS-guided drainage of fluid collection/necrosectomy; stenting of malignant stricture/fistula; PEG/PEJ tube	code descriptions condensed & added indications: resection of neoplasm; variceal ligation; EUS-guided drainage of fluid collection/necrosectomy; stenting of malignant stricture/fistula; PEG/PEJ tube	1	2
30OZDD		Bright red rectal bleeding; anemia; confirmation celiac disease; stable dysphagia; obscure GI bleed (capsule endoscopy/enteroscopy); EUS assessment submucosal lesion; stent replacement; duodenal polyp/ampullectomy; treatment of chronic GI bleed (e.g. APC)	chronic unexplained abdominal pain moved to P5 code 30NADA & added indications: obscure GI bleed (capsule endoscopy/enteroscopy); EUS assessment submucosal lesion; stent replacement; duodenal polyp/ampullectomy; treatment of chronic GI bleed (e.g. APC)	3B	8

Thank you for your continued cooperation and support.

If you have any question, or feedback on the diagnosis codes, please do not hesitate to contact the SPR Office anytime, at sproffice@phsa.ca

Kind Regards,

Susan Parkyn

Director, BC Surgical Patient Registry
Provincial Health Services Authority

General Surgery - Adult (17 years and above on the date of decision)

Diagnosis Group	BC Diagnosis Code	Diagnosis Description	BC Priority Level	Wait Time Target In Weeks
Adrenalectomy	30PBAE	Primary aldosteronism or Cushing's syndrome	3	6
	30PBAF	Pheochromocytoma	2	4
Benign Anorectal Disease	30NTAA	Haemorrhoids	4	12
	30NTAC	Anal fissure	4	12
	30NTAD	Anal fistula with sepsis	3	6
	30NTAE	Anal fistula	5	26
	30NTAF	Benign lesions	4	12
	30NTAH	Anal fissure severe	2	4
	30NTAI	Anal lesion NYD (rule out malignancy)	2	4
Breast	30YMBA	Breast cancer risk requiring prophylactic mastectomy	4	12
	30YMCA	Breast lump NYD (rule out malignancy)	2	4
	30YMCC	Breast cancer surgery - regular	2	4
	30YMCE	Benign breast disease	4	12
	30YMCF	Breast cancer for immediate breast reconstruction	2	4
Colorectal Surgery	30NMAB	Diverticular stricture of the colon	1	2
	30NMAC	Obstructing Crohn's disease	1	2
	30NMAD	Inflammatory bowel disease without complication of haemorrhage, perforation/sepsis or obstruction	3	6
	30NMCA	Colonic carcinoma	2	4
	30NMCB	Colonic carcinoma - partially obstructing	1	2
	30NMEA	Prophylactic colectomy	4	12
	30NMEB	Diverticular disease of the colon	4	12
	30NPAA	Temporary stoma - reversal of colostomy/ileostomy	4	12
	30NQAC	Procidencia	4	12
	30NQCA	Rectal carcinoma	2	4
	30NQCB	Rectal carcinoma with short course preop radiation	1	2
	30NQCC	Rectal cancer preop chemo-radiotherapy down staging	3	6
Endoscopy - Positive FIT	30NMDD	Positive FIT (fecal immunochemical test) – outside BCCA screening program	3B	8
	30NMDE	Positive FIT (fecal immunochemical test) – BCCA screening program	3B	8
Endoscopy - Screening for Family History	30NMDF	Screening Colonoscopy for personal or significant family history - outside BCCA Screening Program	5	26
	30NMDG	Screening Colonoscopy for personal or significant family history - BCCA Screening Program	5	26
Endoscopy - Surveillance	30OZDG	Short interval surveillance where reassessment required under 1 year: follow-up for previous endoscopic resection of large/complex polyp, repeat due to inadequate bowel prep resulting in incomplete procedure - outside BCCA screening program	3B	8
	30OZDH	Surveillance where assessment period 1 year or over; wait time starts at date surveillance is due - outside BCCA screening program	5	26
	30OZDI	Short interval surveillance where reassessment required under 1 year: follow-up for previous endoscopic resection of large/complex polyp, repeat due to inadequate bowel prep resulting in incomplete procedure – BCCA screening program	3B	8
	30OZDJ	Surveillance where assessment period 1 year or over; wait time starts at date surveillance is due - BCCA screening program	5	26
	30NADA	Chronic Gastroesophageal Reflux Disease; asymptomatic pancreatic/biliary stricture with normal liver chemistry, not suspicious for malignancy; pancreatic cyst, not suspicious for malignancy; chronic unexplained abdominal pain; stable dyspepsia	5	26
Endoscopy - Symptoms and Findings (con't next page)	30OZDA	High likelihood of cancer; severe Dysphagia/Odynophagia; active IBD; obstructive acute jaundice; resection of neoplasm; variceal ligation; EUS-guided drainage of fluid collection/necrosectomy; stenting of malignant stricture/fistula; PEG/PEJ tube	1	2

Diagnosis Group	BC Diagnosis Code	Diagnosis Description	BC Priority Level	Wait Time Target In Weeks
Endoscopy - Symptoms and Findings (con't)	30OZDD	Bright red rectal bleeding; Anemia; confirmation Celiac Disease; stable Dysphagia; obscure GI bleed (capsule endoscopy/enteroscopy); EUS assessment submucosal lesion; stent replacement; duodenal polyp/ampullectomy; treatment of chronic GI bleed (e.g. APC)	3B	8
Endoscopy - * Other Diagnosis Codes (provide detailed diagnosis or condition in free text description)	30OZZA	GI symptoms other P1	1	2
	30OZZB	GI symptoms other P2	2	4
	30OZZC	GI symptoms other P3	3B	8
	30OZZD	GI symptoms other P4	4	12
	30OZZE	GI symptoms other P5	5	26
Hepatobiliary Pancreatic	30OAAA	Liver Transplant - Living Donor	1	2
	30OACA	Hepatocellular carcinoma	2	4
	30OACB	Metastatic liver disease	2	4
	30OACC	Liver benign tumour	3	6
	30ODAB	Biliary colic - severe (daily pain)	1	2
	30ODAC	Biliary colic - intermediate (frequent pain)	3	6
	30ODAD	Biliary colic - chronic (infrequent symptoms)	4	12
	30ODCA	Gall bladder carcinoma	2	4
	30ODCC	Gall bladder polyps	4	12
	30OEAD	Benign bile duct stricture	4	12
	30OECA	Bile duct tumour	2	4
	30OJAB	Chronic pancreatitis	4	12
	30OJCB	Malignant pancreatic tumour or non-functioning endocrine tumour	2	4
	30OJCH	Endocrine tumour of pancreas - functioning	1	2
Hernias	30SYAA	Inguinal or femoral hernia	4	12
	30SYAB	Umbilical hernia	4	12
	30SYAC	Incarcerated hernia (inguinal, umbilical, incisional) without bowel obstruction	2	4
	30SYAD	Incisional/ventral hernia	4	12
Laparoscopy	30OZAA	Diagnosis laparoscopy - benign	3	6
	30OZCA	Staging laparoscopy - suspect malignant	1	2
Morbid Obesity	30OZBC	Morbid obesity once cleared for surgery through pre-conditioning program	4	12
Retroperitoneal Tumour	30OTCA	Retroperitoneal malignancy	2	4
Salivary Gland	30FPCC	Salivary gland benign disease	4	12
	30FPCD	Salivary gland malignancy	2	4
Skin	30MZCB	Lymph node malignancy	2	4
	30YSAA	Pilonidal disease	4	12
	30YZCH	Malignant melanoma, squamous cell carcinoma and head and neck cancers T1N1 or T2N0 or higher	1	2
	30YZCI	Cutaneous malignant Melanoma or squamous cell carcinoma, T1N0	2	4
	30YZCJ	Cutaneous or subcutaneous tumours -- confirmed or suspected malignancy	2	4
Small Bowel	30NKCA	Small bowel tumour	2	4
Spleen	30OBCA	Splenic tumour	2	4
Spleen and Kidney	30OBAD	Splenectomy for hematologic disease	3	6
	30PBCE	Adrenal cancer (known or suspected)	2	4
	30PCAJ	Chronic renal failure	3	6
Stomach and Esophagus	30NAAA	Esophageal stricture-with obstruction	1	2
	30NAAB	Esophageal stricture-without obstruction	4	12
	30NAAC	Achalasia	4	12
	30NFCD	GIST tumour of the stomach	4	12
	30NFCE	Gastric Malignancy	1	2

Diagnosis Group	BC Diagnosis Code	Diagnosis Description	BC Priority Level	Wait Time Target In Weeks
Thyroid Parathyroid	30FUAB	Asymptomatic benign mass-goiter or cyst	5	26
	30FUCA	Medullary thyroid cancer	2	4
	30FUCD	Benign neoplasm/thyroid mass: rule out malignancy	4	12
	30FUCF	Malignant thyroid disease except non-metastatic stage 1 papillary carcinoma	2	4
	30FUCG	Early stage papillary carcinoma	4	12
	30FVAB	Hyperparathyroidism - significant symptoms or Calcium greater than 3.0 mmol/L	2	4
	30FVAC	Hyperparathyroidism	4	12
Unscheduled Case	30ZZAB	Predominantly unscheduled cases - complex benign	4	12
	30ZZCB	Predominantly unscheduled cases - complex malignant	2	4
Other * (provide unique diagnosis in free text description)	30ZZZA	General surgery other P1	1	2
	30ZZZB	General surgery other P2	2	4
	30ZZZC	General surgery other P3	3	6
	30ZZZD	General surgery other P4	4	12
	30ZZZE	General surgery other P5	5	26

*Other category requires a free text description of the unique condition or diagnosis, including the procedure code used on the OR booking form. These free text descriptions will be reviewed and used to identify the need for creation of new codes.



BC Patient Condition and Diagnosis Descriptions

General Surgery - Pediatric (Under 17 years on the date of decision)

Diagnosis Group	BC Diagnosis Code	PCAT Code	Patient Condition & Diagnosis Description	Priority Level	Wait Time Target in Days	Wait Time Target in Weeks **
Abdominal Wall	40SYEA	3165	Cloacal Exstrophy	IIa	7	1
	40NFDA	4271	Gastric Bezoar	IIa	7	1
	40SYDF	4166	Gastroschisis	IIa	7	1
	40SYFB	3167	Inguinal Hernia (non-incarcerated): < 1 year	IIb	21	3
	40SYFC	3168	Inguinal Hernia (non-incarcerated): > 1 year	IV	90	13
	40OTAA	4273	Intrabdominal Cyst	III	42	6
	40QGAB	4272	Hydrocele	V	180	26
	40SYDE	3171	Other Abdominal Wall Hernias (Epigastric, Incisional, Ventral Hernia, Other)	IV	90	13
	40SYDB	3170	Omphalocele	IIa	7	1
	40SYDC	3172	Umbilical - Discharge, Urachal & Vitelline Remnants	IIb	21	3
40SYDD	3173	Umbilical Hernia	VI	365	52	
Biliary System: Spleen	40OEAA	3174	Biliary Atresia	IIa	7	1
	40OEBA	3175	Choledochal Cyst - Urgent	IIb	21	3
	40OEBB	4274	Choledochal Cyst - Non-Urgent	IV	90	13
	40OBAB	3177	Disease potentially requiring Urgent splenectomy (e.g. ITP with ICH)	IIa	7	1
	40OBAA	3176	Disease potentially requiring splenectomy	IV	90	13
	40ODAA	3178	Gallbladder Disease (symptomatic) - acute	IIa	7	1
	40ODAB	3179	Gallbladder Disease (symptomatic) - chronic	III	42	6
	40OJAA	3180	Pancreatic Disease (no malignant potential)	III	42	6
40OAAB	3182	Portal Hypertension	IIb	21	3	
Breast	40YMCC	4275	Breast Mass - undiagnosed (for Biopsy)	IIb	21	3
	40YMCE	4276	Gynecomastia and other Breast Anomalies (e.g. Accessory Nipple)	V	180	26
	40YMCA	3268	Suspected Malignant	IIa	7	1
	40YMCB	3267	Suspected Benign	III	42	6
Colon, Rectum, Anus	40NTAA	3183	Anorectal Malformations - with obstruction	IIa	7	1
	40NTAB	3184	Anorectal Malformations - without obstruction	IIb	21	3
	40NVAB	3188	Appendicitis - chronic (e.g. perforated managed non-operatively, appendiceal abscess, incidental, interval)	IV	90	13
	40NMBC	4187	Hirschsprung's Disease (Non-Neonatal)	III	42	6
	40NMBA	3186	Hirschsprung's Disease	IV	90	13
	40NTBB	4277	Perianal (Abscess)	IIa	7	1
	40NTBA	3189	Perianal (Fistula, Polyps, Hemorrhoids)	III	42	6
	40NQBA	4278	Rectal Issues - Requiring Scope	IIb	21	3
Esophagus	40NAAA	3190	Achalasia	III	42	6
	40NAEA	3191	Corrosive injury to Esophagus	IIb	21	3
	40NABA	3193	Esophageal Anomalies - neonatal congenital	IIa	7	1
	40NAFA	4279	Esophageal Atresia - with Distal Tracheoesophageal Fistula	IIa	7	1
	40NAFB	4280	Esophageal Atresia - without Distal Tracheoesophageal Fistula	III	42	6
	40NADA	3194	Reflux - with Esophageal Stricture	IIb	21	3
	40NADB	3195	Reflux - without Esophageal Stricture	III	42	6
	40GJAB	4281	Tracheomalacia - Collapse of Trachea	IIa	7	1
Genitalia	40QDBA	3197	Circumcision - non-medical	VI	365	52
	40QMAA	3198	Cryptorchidism (Unilateral): < 6 months	VI	365	52
	40QMAB	4285	Cryptorchidism (Unilateral): > 6 months	IV	90	13
	40QMAC	4284	Cryptorchidism (Non-Newborn) - Bilateral & Non-Palpable	IV	90	13
	40QMAD	4282	Cryptorchidism (Newborn) - Bilateral & Non-Palpable	V	180	26
	40QMAF	4283	Cryptorchidism (Newborn) - Bilateral & Palpable	V	180	26
	40QEAB	4286	Meatal Stenosis	IV	90	13
	40RBAB	3200	Ovarian Pathology	III	42	6
	40QEAB	4287	Penile - Adhesions, Penile Skin Bridge	VI	365	52
	40QDAB	3202	Phimosis - Pathological	IV	90	13

Diagnosis Group	BC Diagnosis Code	PCAT Code	Patient Condition & Diagnosis Description	Priority Level	Wait Time Target in Days	Wait Time Target in Weeks **
Large Intestine	40NMAA	3264	Requires access for Antegrade Enemas	V	180	26
Neck	40YGBC	4205	Neck Mass Inflammatory - Urgent (Abscess)	IIa	7	1
	40YGAB	3206	Neck Mass Inflammatory - Non-Urgent (atypical mycobacterial)	III	42	6
	40YGCB	3204	Neck Mass - suspected malignant	IIa	7	1
	40YGCA	3203	Neck Mass - no suspicion of cancer (including thyroglossal, thyroid, goiter, branchial cleft, etc.)	IV	90	13
Neck mass-Neonatal	40YGBD	4254	Cystic Mass (Lymphangioma) - without Obstruction	IV	90	13
	40YGCC	3255	Solid Mass	IIa	7	1
Oro-pharynx	40FJAB	3251	Ankyloglossia - with breastfeeding issues	IIa	7	1
	40FJAA	3250	Ankyloglossia	V	180	26
	40FPAB	3252	Mucocele/Ranula	IV	90	13
Peritoneal Cavity	40PCAB	3257	Renal Failure	III	42	6
Solid Tumours	40OZCC	3209	Suspected Malignant	IIa	7	1
	40OZCA	3207	Suspected Benign - asymptomatic	IV	90	13
	40OZCB	3208	Suspected Benign - symptomatic	IIb	21	3
Stomach, Duodenum, Small Bowel	40NPFB	3210	Gastric Volvulus - chronic	III	42	6
	40NPGB	4212	Necrotizing Enterocolitis (Neonatal) - Non-Urgent	IIa	7	1
	40NPEA	3213	Need for enteral access	IIb	21	3
	40NPHA	3214	Neonatal Distal Intestinal Obstruction	IIa	7	1
	40NPHB	3215	Neonatal Duodenal Obstruction	IIa	7	1
	40NFAB	4216	Pyloric Stenosis	IIa	7	1
	40NPBD	4217	Rotational Anomalies - asymptomatic	III	42	6
Stomach, Small Bowel, Large Bowel	40NPBA	3258	Anatomical - acute	IIa	7	1
	40NPBC	4259	Anatomical - chronic	III	42	6
	40NPAA	3260	Functional - acute	IIa	7	1
	40NPAB	3261	Functional - chronic	IV	90	13
	40NPDA	3262	Inflammatory - acute	IIa	7	1
	40NPDC	4263	Inflammatory - chronic	III	42	6
Thoracic	40SYAA	3221	Chest Wall Deformities	VI	365	52
	40GTAC	4327	Congenital Lung Anomalies (Non-Neonatal)	VI	365	52
	40GXBA	3223	Diaphragmatic Abnormalities - symptomatic	IIa	7	1
	40GXBC	4222	Diaphragmatic Abnormalities - asymptomatic	III	42	6
	40GTDA	3224	Infections - Empyemas/Lung Abscesses	IIa	7	1
	40GWAB	3226	Mediastinal Cystic Mass - symptomatic	IIb	21	3
	40GWAA	3225	Mediastinal Cystic Mass - asymptomatic	IV	90	13
	40SYBA	3227	Myasthenia Gravis	III	42	6
	40IBED	3229	Patent Ductal anomalies (Non-Neonatal)	III	42	6
	40GVAA	3228	Pneumothorax - recurrent or non-resolved	IIa	7	1
Thoracic - Neonatal Conditions	40GJAA	3230	Congenital Airway Obstruction	IIa	7	1
	40GXAA	3231	Congenital Diaphragmatic Hernia (CDH)	IIa	7	1
	40GTAA	3233	Congenital Lung Anomalies - symptomatic	IIa	7	1
	40GTAB	3232	Congenital Lung Anomalies - asymptomatic	V	180	26
	40IBEC	3234	Patent Ductal anomalies (PDA)	IIa	7	1
Tissue Biopsy	40OZCD	3266	Suspected Malignant	IIa	7	1
	40OZCE	3265	Suspected Benign	III	42	6
Miscellaneous (cont' next page)	40ZZAB	4320	EUA (e.g. Anal Dilatation, Peri-Anal Injury, Incision & Drainage)	IIb	21	3
	40NFBA	3236	Gastrocutaneous Fistula - symptomatic/high output	IIb	21	3
	40SYDG	4322	Gastrocutaneous Fistula - asymptomatic	IV	90	13
	40UZSN	4321	Ganglion	VI	365	52
	40YRAE	4323	Hyperhidrosis	V	180	26
	40YXAA	3237	Ingrown Toenails	IV	90	13
	40ZZAA	3238	Morbid Obesity	V	180	26
	40YSAC	4241	Pilonidal Disease - Urgent	IIa	7	1
	40YSAB	3242	Pilonidal Disease - Non-Urgent	IV	90	13
	40DZBB	4324	Preauricular Cyst/Sinus	VI	365	52
	40YZAB	3246	Skin Lesions - Non-Urgent	IV	90	13

Diagnosis Group	BC Diagnosis Code	PCAT Code	Patient Condition & Diagnosis Description	Priority Level	Wait Time Target in Days	Wait Time Target in Weeks **
Miscellaneous (cont' from previous page)	40YZBI	4325	Scar Revision	VI	365	52
	40YZBJ	4245	Skin Lesions - Urgent	Ila	7	1
	40JMAA	3247	Vascular Access for Hemodialysis	Ila	7	1
	40KZAA	3249	Vascular/Lymphatic Malformation - symptomatic	Ila	7	1
	40KZAB	3248	Vascular/Lymphatic Malformation - asymptomatic	IV	90	13
	40ISAA	3240	Venous Access Devices (insertion) - Urgent	Ila	7	1
	40ISAB	3239	Venous Access Devices (insertion) - Non-Urgent	III	42	6
	40ISBC	4244	Venous Access Devices/PEG (Revision/Removal of Hardware) - Urgent	Ila	7	1
	40ISBB	3243	Venous Access Devices/PEG (Revision/Removal of Hardware) - Non-Urgent	IV	90	13
	40YZBK	4235	Wound Management - Urgent	Ila	7	1
	40YZBL	4326	Wound Management - Non-Urgent	Ila	7	1
Other * *Other category requires a free text description of the unique condition or diagnosis, incl. the procedure code used on the OR booking form. Free text descriptions will be reviewed and used to identify the need for creation of new codes.	40ZZZB	A016	Ped General Surg Other - Ila	Ila	7	1
	40ZZZC	A017	Ped General Surg Other - IIb	IIb	21	3
	40ZZZD	A018	Ped General Surg Other - III	III	42	6
	40ZZZE	A019	Ped General Surg Other - IV	IV	90	13
	40ZZZF	A020	Ped General Surg Other - V	V	180	26
	40ZZZG	A021	Ped General Surg Other - VI	VI	365	52
	40ZZZI	C016	Ped General Surg Other CANCER - Ila	Ila	7	1
	40ZZZK	C018	Ped General Surg Other CANCER - III	III	42	6
	40ZZZL	C017	Ped General Surg Other CANCER - IIb	IIb	21	3
	40ZZZM	C019	Ped General Surg Other CANCER - IV	IV	90	13
	40ZZZN	C020	Ped General Surg Other CANCER - V	V	180	26
40ZZZO	C021	Ped General Surg Other CANCER - VI	VI	365	52	

** Wait time Target in Weeks has been rounded to the nearest integer

Gastroenterology Surgery - Pediatric (Under 17 years on the date of decision)

Diagnosis Group	BC Diagnosis Code	PCAT Code	Patient Condition & Diagnosis Description	Priority Level	Wait Time Target in Days	Wait Time Target in Weeks **	
Abdomen	25OTAA	4922	Intrabdominal Abscess	Ila	7	1	
	25OTAB	4921	Arterial/Venous Stenosis	Ila	7	1	
Colon, Rectum, Anus	25NMHA	4923	Diarrhea - chronic	IV	90	13	
	25NMDE	4925	Follow-up Endoscopy – Lower Gastrointestinal Tract	IV	90	13	
	25NMFA	4928	IBD - clinical features of severe activity	Ila	7	1	
	25NMFB	4929	IBD - clinical features of mild to moderate activity	Ilb	21	3	
	25NMFC	4930	IBD - follow up Endoscopy Lower Gastrointestinal Tract	V	180	26	
	25NMDG	4931	Polyposis Syndrome - Screening Colonoscopy	IV	90	13	
	25NMDH	4932	Polyposis Syndrome - Surveillance Colonoscopy	VI	365	52	
	25NMHC	4934	Suspicion of Gastrointestinal GVHD - Lower	Ila	7	1	
	25NQBB	4927	Rectal Bleeding (bright red) - sub-acute	III	42	6	
	Esophagus	25NAAA	4935	Achalasia	Ilb	21	3
25NAAC		4936	Barrett's Esophagus - follow-up	V	180	26	
25NAGA		4937	Dysphagia - severe and/or rapidly progressive	Ila	7	1	
25NAGB		4938	Dysphagia - stable	III	42	6	
25NAGC		4939	Dysphagia - follow-up/maintenance	III	42	6	
25NAGD		4940	Eosinophilic Esophagitis - surveillance	V	180	26	
Esophagus/Gastric	25NFFB	4942	Caustic Ingestion - follow-up assessment	Ilb	21	3	
	25NFFC	4943	Dyspepsia - severe & persistent pain	Ilb	21	3	
	25NFFD	4944	Dyspepsia/Reflux - Poorly Controlled	III	42	6	
	25NFHB	4947	Nausea/Vomiting	III	42	6	
Esophagus/Gastric/Small Intestine	25NKHF	4948	Anemia - documented Iron Deficiency	III	42	6	
	25NKHG	4949	Abdominal Pain (unexplained) - chronic	IV	90	13	
	25NKHH	4950	Failure to Thrive - severe	Ilb	21	3	
	25NKHI	4951	Failure to Thrive - mild to moderate	III	42	6	
	25NKDE	4952	Follow-Up Endoscopy – Upper Gastrointestinal Tract	IV	90	13	
	25NKFA	4954	IBD - clinical features of moderate to severe activity	Ila	7	1	
	25NKFB	4955	IBD - clinical features of mild activity	Ilb	21	3	
	25NKFC	4956	IBD - follow up endoscopy upper gastrointestinal tract	V	180	26	
	25KQAA	4957	Portal Hypertension - screening	III	42	6	
	25KQAB	4958	Portal Hypertension - follow-up	III	42	6	
	25KQAC	4959	Portal Hypertension - surveillance	VI	365	52	
	25NKHC	4960	Suspicion of Gastrointestinal GVHD - upper	Ila	7	1	
	Gastric	25NFFE	4961	Nutritional Support – Percutaneous Endoscopic Gastrostomy (PEG) Insertion	IV	90	13
		25NFFG	4962	Nutritional Support – G Tube/GJ Tube change	V	180	26
Hepato-Biliary	25OABA	4963	Ascites - USS guided Abdominal Paracentesis	Ila	7	1	
	25OEDA	4964	Biliary Obstruction - Endoscopic Retrograde Cholangiopancreatography (ERCP)	Ila	7	1	
	25OEDB	4965	Biliary Obstruction - Percutaneous Transhepatic Cholangiogram	Ilb	21	3	
	25OEDC	4966	Biliary Obstruction - Cholangiogram +/- Biliary Drain Exchange	III	42	6	
	25OABB	4967	Hepatitis/Abnormal Liver Function Test - Liver Biopsy routine	Ilb	21	3	
	25OABC	4968	Jaundice - Liver Biopsy routine	Ila	7	1	
	25OABD	4969	Jaundice (Neonatal Choleostatic) - Liver Biopsy	Ila	7	1	
	25OJAC	4971	Pancreatic Duct Obstruction - (ERCP)	Ila	7	1	
	25KQAD	4972	Portal Hypertension - Transjugular Intrahepatic Portosystemic Shunt (TIPS)	Ilb	21	3	
	25OJAD	4973	Pseudocyst Obstruction - (ERCP)	Ila	7	1	
Small Intestine	25NKHE	4974	Celiac Disease - for diagnosis (antibody test)	III	42	6	
	25NKHD	4975	Intestinal Transplant - Surveillance Endoscopy	Ila	7	1	
	25NKDD	4976	Occult Gastrointestinal Bleeding/Lesion - sub-acute	Ilb	21	3	

(continued next page)

Diagnosis Group	BC Diagnosis Code	PCAT Code	Patient Condition & Diagnosis Description	Priority Level	Wait Time Target in Days	Wait Time Target in Weeks **
<p>Other *</p> <p>*Other category requires a free text description of the unique condition or diagnosis, including the procedure code used on the OR booking form.</p> <p>These free text descriptions will be reviewed and used to identify the need for creation of new codes.</p>	25ZZZB	A079	Ped GI Other - IIa	IIa	7	1
	25ZZZC	A080	Ped GI Other - IIb	IIb	21	3
	25ZZZD	A081	Ped GI Other - III	III	42	6
	25ZZZE	A082	Ped GI Other - IV	IV	90	13
	25ZZZF	A083	Ped GI Other - V	V	180	26
	25ZZZH	A084	Ped GI Other - VI	VI	365	52
	25ZZZJ	C079	Ped GI Other Cancer - IIa	IIa	7	1
	25ZZZK	C080	Ped GI Other Cancer - IIb	IIb	21	3
	25ZZZL	C081	Ped GI Other Cancer - III	III	42	6
	25ZZZM	C082	Ped GI Other Cancer - IV	IV	90	13
	25ZZZN	C083	Ped GI Other Cancer - V	V	180	26
	25ZZZO	C084	Ped GI Other Cancer - VI	VI	365	52

** Wait time Target in Weeks has been rounded to the nearest integer

